



# DYNAMIC BRAKING RESISTOR CROSS REFERENCE



POST GLOVER RESISTORS PART NUMBER	ABB PART NUMBER	OHMS	WATTS	ENCLOSURE DIMENSIONS			PGR ENCLOSURE
				W (in.)	D (in.)	H (in.)	
DB22D0-0355-10000AA0	ABB-48431-001	22.0	285	14	4	5	EN00
DB22D0-1K09-1Z100AA0	ABB-48431-002	22.0	819	14	10	5	DB3C
DB22D0-1K38-10200AA0	ABB-48431-003	22.0	1,140	14	13	5	EN02
DB22D0-1K42-10200AA0	ABB-48431-004	22.0	1,408	14	13	5	EN02
DB22D0-1K98-10300AA0	ABB-48431-005	22.0	1,862	21	10	5	EN03
DB22D0-2K77-10400AA0	ABB-48431-006	22.0	2,200	21	13	5	EN04
DB22D0-2K77-10400AA0	ABB-48431-007	22.0	2,426	21	13	5	EN04
DB22D0-3K22-10400AA0	ABB-48431-008	22.0	3,168	21	13	5	EN04
DB22D0-5K99-10900AA0	ABB-48431-009	22.0	5,632	29	18	8.5	EN09
DB22D0-5K99-10900AA0	ABB-48431-010	22.0	5,632	29	18	8.5	EN09
DB22D0-10K6-10900AA0	ABB-48431-011	22.0	8,800	29	18	8.5	EN09
DB22D0-19K4-11800AA0	ABB-48431-012	22.0	17,248	29	18	15.5	EN18
DB22D0-24K0-12700AA0	ABB-48431-013	22.0	19,800	29	18	22.5	EN27
DB44D0-0353-10000AA0	ABB-48431-020	44.0	324	14	4	5	EN00
DB44D0-1K09-1Z100AA0	ABB-48431-021	44.0	800	14	10	5	DB3C
DB44D0-1K38-10200AA0	ABB-48431-022	44.0	1,263	14	13	5	EN02
DB44D0-3K96-10600AA0	ABB-48431-023	44.0	3,294	28	13	5	EN06
DB13D0-1K57-10200AA0	ABB-48431-030	13.0	1,433	14	13	5	EN02
DB13D0-1K90-10200AA0	ABB-48431-031	13.0	1,872	14	13	5	EN02
DB13D0-2K47-10400AA0	ABB-48431-032	13.0	2,197	21	13	5	EN04
DB13D0-4K02-10400AA0	ABB-48431-033	13.0	3,328	21	13	5	EN04
DB13D0-4K02-10400AA0	ABB-48431-034	13.0	3,328	21	13	5	EN04
DB13D0-5K10-10900AA0	ABB-48431-035	13.0	4,212	29	18	8.5	EN09
DB13D0-6K23-10600AA0	ABB-48431-036	13.0	6,292	28	13	5	EN06
DB13D0-8K32-10900AA0	ABB-48431-037	13.0	8,125	29	18	8.5	EN09
DB13D0-14K2-11800AA0	ABB-48431-038	13.0	11,700	29	18	15.5	EN18
DB13D0-19K3-11800AA0	ABB-48431-039	13.0	18,772	29	18	15.5	EN18
DB13D0-25K2-12700AA0	ABB-48431-040	13.0	25,168	29	18	22.5	EN27
DB13D0-25K2-12700AA0	ABB-48431-041	13.0	25,168	29	18	22.5	EN27
DB13D0-33K3-13600AA0	ABB-48431-042	13.0	32,500	29	18	29.5	EN36
DB13D0-56K6-14500AA0	ABB-48431-043	13.0	51,597	29	18	36.5	EN45



# DYNAMIC BRAKING RESISTOR CROSS REFERENCE



POST GLOVER RESISTORS PART NUMBER	ABB PART NUMBER	OHMS	WATTS	ENCLOSURE DIMENSIONS			PGR ENCLOSURE
				W (in.)	D (in.)	H (in.)	
DB80D0-0407-10000AA0	ABB-48431-050	80.0	400	14	4	5	EN00
DB80D0-0407-10000AA0	ABB-48431-051	80.0	400	14	4	5	EN00
DB80D0-0824-10100AA0	ABB-48431-052	80.0	800	14	7	5	EN01
DB80D0-1K63-10200AA0	ABB-48431-053	80.0	1,600	14	13	5	EN02
DB44D0-2K76-10400AA0	ABB-48431-054	44.0	2,200	21	13	5	EN04
DB55D0-0817-10100AA0	ABB-48431-055	55.0	800	14	7	5	EN01
DB55D0-1K57-10200AA0	ABB-48431-056	55.0	1,200	14	13	5	EN02
DB55D0-3K17-10400AA0	ABB-48431-057	55.0	2,000	21	13	5	EN04
DB55D0-3K17-10400AA0	ABB-48431-058	55.0	3,000	21	13	5	EN04
DB11D0-0710-10100AA0	ABB-48431-060	11.0	409	14	7	5	EN01
DB11D0-0710-10100AA0	ABB-48431-061	11.0	704	14	7	5	EN01
DB11D0-1K10-1Z100AA0	ABB-48431-062	11.0	931	14	10	5	DB3C
DB11D0-1K33-1Z100AA0	ABB-48431-063	11.0	1,213	14	10	5	DB3C
DB11D0-1K61-10200AA0	ABB-48431-064	11.0	1,584	14	13	5	EN02
DB11D0-2K02-10300AA0	ABB-48431-065	11.0	1,859	21	10	5	EN03
DB11D0-2K79-10400AA0	ABB-48431-066	11.0	2,475	21	13	5	EN04
DB11D0-4K31-10400AA0	ABB-48431-067	11.0	3,564	21	13	5	EN04
DB11D0-5K32-10400AA0	ABB-48431-068	11.0	4,400	21	13	5	EN04
DB11D0-7K04-10900AA0	ABB-48431-069	11.0	6,875	29	18	8.5	EN09
DB11D0-8K32-10900AA0	ABB-48431-070	11.0	8,019	29	18	8.5	EN09
DB11D0-12K0-11800AA0	ABB-48431-071	11.0	9,900	29	18	15.5	EN18
DB11D0-17K3-11800AA0	ABB-48431-072	11.0	15,884	29	18	15.5	EN18
DB11D0-21K3-11800AA0	ABB-48431-073	11.0	21,296	29	18	15.5	EN18
DB30D0-1K05-1Z100AA0	ABB-48431-080	30.0	800	14	10	5	DB3C
DB30D0-1K95-10300AA0	ABB-48431-081	30.0	1,600	21	10	5	EN03
DB8D50-0747-10100AA0	ABB-48431-090	8.50	417	14	7	5	EN01
DB8D50-0747-10100AA0	ABB-48431-091	8.50	719	14	7	5	EN01
DB8D50-1K17-1Z100AA0	ABB-48431-092	8.50	937	14	10	5	DB3C
DB8D50-1K24-1Z100AA0	ABB-48431-093	8.50	1,224	14	10	5	DB3C
DB8D50-1K50-10200AA0	ABB-48431-094	8.50	1,437	14	13	5	EN02
DB8D50-2K31-10200AA0	ABB-48431-095	8.50	1,913	14	13	5	EN02



# DYNAMIC BRAKING RESISTOR CROSS REFERENCE



POST GLOVER RESISTORS PART NUMBER	ABB PART NUMBER	OHMS	WATTS	ENCLOSURE DIMENSIONS			PGR ENCLOSURE
				W (in.)	D (in.)	H (in.)	
DB8D50-3K33-10400AA0	ABB-48431-096	8.50	2,754	21	13	5	EN04
DB8D50-5K44-10600AA0	ABB-48431-097	8.50	5,313	28	13	5	EN06
DB8D50-7K50-10900AA0	ABB-48431-098	8.50	6,197	29	18	8.5	EN09
DB8D50-9K26-10900AA0	ABB-48431-099	8.50	7,650	29	18	8.5	EN09
DB8D50-12K6-11800AA0	ABB-48431-100	8.50	12,274	29	18	15.5	EN18
DB8D50-16K5-11800AA0	ABB-48431-101	8.50	16,456	29	18	15.5	EN18
DB8D50-21K8-12700AA0	ABB-48431-102	8.50	21,250	29	18	22.5	EN27
DB0120-0684-10100AA0	ABB-48431-110	120	600	14	7	5	EN01
DB8D00-7K06-10600AA0	ABB-48431-120	8.00	6,272	28	13	5	EN06
DB8D00-8K71-10900AA0	ABB-48431-121	8.00	7,200	29	18	8.5	EN09
DB8D00-12K5-11800AA0	ABB-48431-122	8.00	11,552	29	18	15.5	EN18
DB8D00-15K5-11800AA0	ABB-48431-123	8.00	15,488	29	18	15.5	EN18
DB8D00-15K5-11800AA0	ABB-48431-124	8.00	15,488	29	18	15.5	EN18
DB8D00-20K5-12700AA0	ABB-48431-125	8.00	20,000	29	18	22.5	EN27
DB8D00-34K8-13600AA0	ABB-48431-126	8.00	31,752	29	18	29.5	EN36
DB8D00-34K8-13600AA0	ABB-48431-127	8.00	31,752	29	18	29.5	EN36
DB8D00-42K2-13600AA0	ABB-48431-128	8.00	39,200	29	18	29.5	EN36
DB8D00-53K0-14500AA0	ABB-48431-129	8.00	51,200	29	18	36.5	EN45
DB63D0-1K29-1Z100AA0	ABB-48431-140	63.0	1,200	14	10	5	DB3C
DB63D0-3K18-10600AA0	ABB-48431-141	63.0	3,000	28	13	5	EN06
DB5D30-0340-10000AA0	ABB-48431-150	5.30	339	14	4	5	EN00
DB5D30-0679-10100AA0	ABB-48431-151	5.30	584	14	7	5	EN01
DB5D30-1K07-1Z100AA0	ABB-48431-152	5.30	896	14	10	5	DB3C
DB5D30-1K64-1Z100AA0	ABB-48431-153	5.30	1,193	14	10	5	DB3C
DB5D30-1K73-10200AA0	ABB-48431-154	5.30	1,717	14	13	5	EN02
DB5D30-2K57-10200AA0	ABB-48431-155	5.30	2,565	14	13	5	EN02
DB5D30-3K39-10400AA0	ABB-48431-156	5.30	3,313	21	13	5	EN04
DB5D30-3K39-10400AA0	ABB-48431-157	5.30	3,313	21	13	5	EN04
DB5D30-4K01-10400AA0	ABB-48431-158	5.30	3,864	21	13	5	EN04
DB5D30-5K77-10600AA0	ABB-48431-159	5.30	4,770	28	13	5	EN06
DB5D30-5K77-10600AA0	ABB-48431-160	5.30	5,772	28	13	5	EN06



# DYNAMIC BRAKING RESISTOR CROSS REFERENCE



POST GLOVER RESISTORS PART NUMBER	ABB PART NUMBER	OHMS	WATTS	ENCLOSURE DIMENSIONS			PGR ENCLOSURE
				W (in.)	D (in.)	H (in.)	
DB5D30-7K86-10600AA0	ABB-48431-161	5.30	7,653	28	13	5	EN06
DB5D30-13K6-11800AA0	ABB-48431-162	5.30	13,250	29	18	15.5	EN18
DB5D30-23K1-12700AA0	ABB-48431-163	5.30	21,036	29	18	22.5	EN27
DB5D30-27K9-12700AA0	ABB-48431-164	5.30	25,970	29	18	22.5	EN27
DB5D30-31K4-12700AA0	ABB-48431-165	5.30	29,813	29	18	22.5	EN27
DB5D30-41K0-13600AA0	ABB-48431-166	5.30	33,920	29	18	29.5	EN36
DB5D30-49K7-14500AA0	ABB-48431-167	5.30	42,930	29	18	36.5	EN45
DB4D30-2K75-10400AA0	ABB-48431-180	4.30	2,688	21	13	5	EN04
DB4D30-3K25-10400AA0	ABB-48431-181	4.30	3,135	21	13	5	EN04
DB4D30-4K68-10400AA0	ABB-48431-182	4.30	3,870	21	13	5	EN04
DB4D30-6K37-10600AA0	ABB-48431-183	4.30	6,209	28	13	5	EN06
DB4D30-13K0-10900AA0	ABB-48431-184	4.30	10,750	29	18	8.5	EN09
DB4D30-18K7-11800AA0	ABB-48431-185	4.30	17,067	29	18	15.5	EN18
DB4D30-22K7-12700AA0	ABB-48431-186	4.30	21,070	29	18	22.5	EN27
DB4D30-28K5-12700AA0	ABB-48431-187	4.30	27,520	29	18	22.5	EN27
DB4D30-40K3-13600AA0	ABB-48431-188	4.30	34,830	29	18	29.5	EN36
DB4D30-44K0-14500AA0	ABB-48431-189	4.30	43,000	29	18	36.5	EN45
DB4D00-14K4-11800AA0	ABB-48431-210	4.00	15,876	29	18	15.5	EN18
DB4D00-23K0-12700AA0	ABB-48431-211	4.00	22,500	29	18	22.5	EN27
DB4D00-31K0-12700AA0	ABB-48431-212	4.00	25,600	29	18	22.5	EN27
DB4D00-37K5-13600AA0	ABB-48431-213	4.00	32,400	29	18	29.5	EN36
DB4D00-41K0-14500AA0	ABB-48431-214	4.00	40,000	29	18	36.5	EN45
DB4D00-48K4-14500AA0	ABB-48431-215	4.00	48,400	29	18	36.5	EN45
DB3D60-6K97-10600AA0	ABB-48431-240	3.60	6,970	28	13	5	EN06
DB3D60-19K0-11800AA0	ABB-48431-241	3.60	17,640	29	18	15.5	EN18
DB3D60-21K3-11800AA0	ABB-48431-242	3.60	20,250	29	18	15.5	EN18
DB3D60-33K7-13600AA0	ABB-48431-243	3.60	29,160	29	18	29.5	EN36
DB3D60-38K9-14500AA0	ABB-48431-244	3.60	36,000	29	18	36.5	EN45
DB3D60-43K6-13600AA0	ABB-48431-245	3.60	43,560	29	18	29.5	EN36
DB2D90-5K61-10600AA0	ABB-48431-270	2.90	5,614	28	13	5	EN06
DB2D90-15K3-11800AA0	ABB-48431-271	2.90	14,210	29	18	15.5	EN18



# DYNAMIC BRAKING RESISTOR CROSS REFERENCE



POST GLOVER RESISTORS PART NUMBER	ABB PART NUMBER	OHMS	WATTS	ENCLOSURE DIMENSIONS			PGR ENCLOSURE
				W (in.)	D (in.)	H (in.)	
DB2D90-17K2-11800AA0	ABB-48431-272	2.90	16,313	29	18	15.5	EN18
DB2D90-27K2-12700AA0	ABB-48431-273	2.90	23,490	29	18	22.5	EN27
DB2D90-32K3-12700AA0	ABB-48431-274	2.90	29,000	29	18	22.5	EN27
DB2D90-42K5-13600AA0	ABB-48431-275	2.90	41,760	29	18	29.5	EN36
DB2D90-61K1-15400AA0	ABB-48431-276	2.90	52,853	29	18	43.5	EN54
DB2D50-2K72-10200AA0	ABB-48431-300	2.50	2,250	14	13	5	EN02
DB2D50-2K72-10200AA0	ABB-48431-301	2.50	2,723	14	13	5	EN02
DB2D50-2K72-10200AA0	ABB-48431-302	2.50	2,723	14	13	5	EN02
DB2D50-3K92-10400AA0	ABB-48431-303	2.50	3,610	21	13	5	EN04
DB2D50-6K40-10900AA0	ABB-48431-304	2.50	6,250	29	18	8.5	EN09
DB2D50-17K0-11800AA0	ABB-48431-305	2.50	16,000	29	18	15.5	EN18
DB2D50-27K9-12700AA0	ABB-48431-306	2.50	25,000	29	18	22.5	EN27
DB2D50-36K6-13600AA0	ABB-48431-307	2.50	36,000	29	18	29.5	EN36
DB2D50-52K7-14500AA0	ABB-48431-308	2.50	45,563	29	18	36.5	EN45
DB2D20-14K6-11800AA0	ABB-48431-330	2.20	14,080	29	18	15.5	EN18
DB2D20-20K6-11800AA0	ABB-48431-331	2.20	17,820	29	18	15.5	EN18
DB2D20-26K6-12700AA0	ABB-48431-332	2.20	26,620	29	18	22.5	EN27
DB2D20-32K2-12700AA0	ABB-48431-333	2.20	31,680	29	18	22.5	EN27
DB2D20-46K4-14500AA0	ABB-48431-334	2.20	40,095	29	18	36.5	EN45
DB2D20-52K2-14500AA0	ABB-48431-335	2.20	49,500	29	18	36.5	EN45
DB1D80-16K9-11800AA0	ABB-48431-360	1.80	14,580	29	18	15.5	EN18
DB1D80-26K4-12700AA0	ABB-48431-361	1.80	25,920	29	18	22.5	EN27
DB1D80-37K9-13600AA0	ABB-48431-362	1.80	32,805	29	18	29.5	EN36
DB1D80-42K7-13600AA0	ABB-48431-363	1.80	40,500	29	18	29.5	EN36
DB1D80-51K6-14500AA0	ABB-48431-364	1.80	49,005	29	18	36.5	EN45
DB1D80-67K5-16300AA0	ABB-48431-365	1.80	61,605	29	18	50.5	EN63
DB1D80-87K1-16300AA0	ABB-48431-366	1.80	72,000	29	18	50.5	EN63
DB1D70-8K43-10600AA0	ABB-48431-390	1.70	8,330	28	13	5	EN06
DB1D70-11K3-11800AA0	ABB-48431-391	1.70	10,880	29	18	15.5	EN18
DB1D70-19K0-12700AA0	ABB-48431-392	1.70	17,000	29	18	22.5	EN27
DB1D70-24K9-12700AA0	ABB-48431-393	1.70	24,480	29	18	22.5	EN27



# DYNAMIC BRAKING RESISTOR CROSS REFERENCE



POST GLOVER RESISTORS PART NUMBER	ABB PART NUMBER	OHMS	WATTS	ENCLOSURE DIMENSIONS			PGR ENCLOSURE
				W (in.)	D (in.)	H (in.)	
DB1D70-35K8-13600AA0	ABB-48431-394	1.70	30,983	29	18	29.5	EN36
DB1D70-48K8-14500AA0	ABB-48431-395	1.70	46,283	29	18	36.5	EN45
DB1D70-63K7-16300AA0	ABB-48431-396	1.70	58,183	29	18	50.5	EN63
DB1D50-18K2-11800AA0	ABB-48431-420	1.50	18,150	29	18	15.5	EN18
DB1D50-22K0-12700AA0	ABB-48431-421	1.50	21,600	29	18	22.5	EN27
DB1D50-28K8-13600AA0	ABB-48431-422	1.50	27,338	29	18	29.5	EN36
DB1D50-43K0-13600AA0	ABB-48431-423	1.50	40,838	29	18	29.5	EN36
DB1D50-58K8-15400AA0	ABB-48431-424	1.50	51,338	29	18	43.5	EN54
DB1D50-61K4-17200AA0	ABB-48431-425	1.50	60,000	29	18	57.5	EN72
DB1D50-87K8-17200AA0	ABB-48431-426	1.50	75,938	29	18	57.5	EN72
DB1D35-28K5-12700AA0	ABB-48431-450	1.35	24,604	29	18	22.5	EN27
DB1D35-31K1-13600AA0	ABB-48431-451	1.35	30,375	29	18	29.5	EN36
DB1D35-41K8-13600AA0	ABB-48431-452	1.35	36,754	29	18	29.5	EN36
DB1D35-50K6-14500AA0	ABB-48431-453	1.35	46,204	29	18	36.5	EN45
DB1D35-65K3-15400AA0	ABB-48431-454	1.35	54,000	29	18	43.5	EN54
DB1D35-72K0-16300AA0	ABB-48431-455	1.35	68,344	29	18	50.5	EN63
DB1D35-98K1-17200AA0	ABB-48431-456	1.35	91,260	29	18	57.5	EN72
Contact Factory	ABB-48431-457	1.35	121,500				
DB1D20-34K4-13600AA0	ABB-48431-480	1.20	32,670	29	18	29.5	EN36
DB1D20-47K0-14500AA0	ABB-48431-481	1.20	41,070	29	18	36.5	EN45
DB1D20-64K0-16300AA0	ABB-48431-482	1.20	60,750	29	18	50.5	EN63
DB1D20-64K0-16300AA0	ABB-48431-483	1.20	60,750	29	18	50.5	EN63
DB1D20-85K0-17200AA0	ABB-48431-484	1.20	81,120	29	18	57.5	EN72
Contact Factory	ABB-48431-485	1.20	108,000				
DB1D00-12K1-11800AA0	ABB-48431-510	1.00	12,100	29	18	15.5	EN18
DB1D00-14K6-11800AA0	ABB-48431-511	1.00	14,400	29	18	15.5	EN18
DB1D00-31K0-12700AA0	ABB-48431-512	1.00	27,225	29	18	22.5	EN27
DB1D00-37K5-13600AA0	ABB-48431-513	1.00	34,225	29	18	29.5	EN36
DB1D00-37K5-13600AA0	ABB-48431-514	1.00	34,225	29	18	29.5	EN36
DB1D00-41K0-14500AA0	ABB-48431-515	1.00	40,000	29	18	36.5	EN45
DB1D00-58K6-14500AA0	ABB-48431-516	1.00	50,625	29	18	36.5	EN45



# DYNAMIC BRAKING RESISTOR CROSS REFERENCE



POST GLOVER RESISTORS PART NUMBER	ABB PART NUMBER	OHMS	WATTS	ENCLOSURE DIMENSIONS			PGR ENCLOSURE
				W (in.)	D (in.)	H (in.)	
DB1D00-70K9-16300AA0	ABB-48431-517	1.00	67,600	29	18	50.5	EN63
DB1D00-94K9-17200AA0	ABB-48431-518	1.00	90,000	29	18	57.5	EN72
Contact Factory	ABB-48431-519	1.00	122,500				
DB0D90-17K8-11800AA0	ABB-48431-540	0.900	16,403	29	18	15.5	EN18
DB0D90-25K8-12700AA0	ABB-48431-541	0.900	24,503	29	18	22.5	EN27
DB0D90-35K3-13600AA0	ABB-48431-542	0.900	30,803	29	18	29.5	EN36
DB0D90-42K7-14500AA0	ABB-48431-543	0.900	36,000	29	18	36.5	EN45
DB0D90-46K7-15400AA0	ABB-48431-544	0.900	45,563	29	18	43.5	EN54
DB0D90-62K7-15400AA0	ABB-48431-545	0.900	60,840	29	18	43.5	EN54
DB0D90-85K4-17200AA0	ABB-48431-546	0.900	81,000	29	18	57.5	EN72
DB0D60-24K6-12700AA0	ABB-48431-570	0.600	24,000	29	18	22.5	EN27
DB0D60-32K0-13600AA0	ABB-48431-571	0.600	30,375	29	18	29.5	EN36
DB0D60-56K9-14500AA0	ABB-48431-572	0.600	54,000	29	18	36.5	EN45
DB0D60-74K3-17200AA0	ABB-48431-573	0.600	73,500	29	18	57.5	EN72
Contact Factory	ABB-48431-574	0.600	96,000				
Contact Factory	ABB-48431-575	0.600	121,500				
DB6D80-1K00-10100AA0	ABB-49173-001	6.80	1,000	14	7	5	EN01
DB6D80-2K67-10400AA0	ABB-49173-002	6.80	2,600	21	13	5	EN04
DB6D80-5K14-10900AA0	ABB-49173-003	6.80	4,500	29	18	8.5	EN09
DB3D50-4K33-10400AA0	ABB-49173-004	3.50	2,250	21	13	5	EN04
DB3D50-8K58-10600AA0	ABB-49173-005	3.50	8,500	28	13	5	EN06
DB2D00-3K87-10400AA0	ABB-49173-006	2.00	3,600	21	13	5	EN04
DB2D00-8K71-10900AA0	ABB-49173-007	2.00	8,600	29	18	8.5	EN09
DB1D40-7K38-10900AA0	ABB-49173-008	1.40	6,800	29	18	8.5	EN09
DB1D40-13K7-11800AA0	ABB-49173-009	1.40	13,000	29	18	15.5	EN18
DB1D40-21K3-12700AA0	ABB-49173-010	1.40	21,000	29	18	22.5	EN27
DB0D96-68K3-16300AA0	ABB-49173-011	0.960	65,000	29	18	50.5	EN63
DB0D68-14K3-11800AA0	ABB-49173-012	0.680	13,500	29	18	15.5	EN18
DB0D68-26K7-11800AA0	ABB-49173-013	0.680	26,000	29	18	15.5	EN18
DB0D68-47K4-14500AA0	ABB-49173-014	0.680	42,000	29	18	36.5	EN45